Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	(deform\$4 with (medium object) same simulat\$5 same (mesh\$4 discret\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	<b>OFF</b>	2007/07/03 16:00
L2	267	(deform\$4 same (elastic plastic) same (dynamic\$4 and static))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:01
L3	10	(deform\$4 same (elastic plastic) same (dynamic\$4 and static)) same (mesh\$4 discret\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:01
L4	14	rend\$4 with deforma\$4 with (simulat\$4 model\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:02
L5	353	rend\$4 same deforma\$4 same (simulat\$4 model\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:02
L6	20	rend\$4 same deforma\$4 same (simulat\$4 model\$5) same (mesh\$4 discret\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:03
L7	7	703/1 and (deforma\$5 near3 (medium media object\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:04
L8	49	703/2 and (deforma\$5 near3 (medium media object\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:04
L9	7	703/11 and (deforma\$5 near3 (medium media object\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:04

L10	2	703/22 and (deforma\$5 near3 (medium media object\$3))		US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:04
L11	1	716/20 and (deforma\$5 near3 (medium media object\$3))		US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:04
L14	74	(deformable near medium).clm.		US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/07/03 16:06
L15	45	(deformable adj medium).clm.		US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/07/03 16:06
L16	1	((deformable adj medium) and (long adj element)).clm.		US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:07
L17	1	((deformable adj medium) and (long adj2 element)).clm.		US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:07
L18	1	((deformable adj2 medium) and (long adj2 element)).clm.		US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:07
L19	1	((deformable near medium) and (long adj2 element)).clm.		US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:07
L20	1	((deformable near medium) and (simulation)).clm.	<i> </i>	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 16:08

7/3/2007 4:12:10 PM

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2496	((703/2) or (703/22) or (703/1) or (703/11)).CCLS.	USPAT; USOCR	OR	OFF	2007/07/03 14:27
L2	19	I1 and (deform\$4 near2 (object medium))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 14:28
L3	9100	(deforma\$5 near3 (object medium medi\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 14:53
L4	159	(deforma\$5 near3 (object medium medi\$3)) same (mesh\$3 (long near element))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 14:54
L5	13	(deforma\$5 near3 (object medium medi\$3)) same (mesh\$3 (long near element)) same (simulat\$4 emulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:20
L6	455	(long near element\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:21
L7	276	(long adj2 element\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:21
L8	271	(long adj2 element).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:21
L9	3	18 and (deform\$5 near2 (object medium medi\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:23
L10	8	18 and (simulat\$5 emulat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:24

						ı
L11	53	(long adj element).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:25
L12	2	I11 and mesh\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:25
L13	879	(configur\$4 construct\$4 model\$4) same (deforma\$5 near2 (object medi\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:26
L14	951	(configur\$4 construct\$4 model\$4 simulat\$4) same (deforma\$5 near2 (object medi\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:27
L15	153	(configur\$4 construct\$4 model\$4 simulat\$4) same (deforma\$5 near2 (object medi\$3)) same (elastic pascal volume)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:28
L16	2	l15 and pascal	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:30
L17	3 71 Browsed	I15 and square	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:30
L18	-) 77 Browsed	I15 and length	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/03 15:30

7/3/2007 3:31:10 PM C:\Documents and Settings\kgebresilassie\My Documents\EAST\Workspaces\10113581.wsp Page 2 Web Images Video News Maps Gmail more -

Sign in

Google

+meshing +deformable +object +simulation | Search | Advanced Search | Preferences

Web

Results 1 - 10 of about 23,100 for +meshing +deformable +object +simulation. (0.12 seconds)

#### [PDF] Soft-Tissue Simulation Using the Radial Elements Method

File Format: PDF/Adobe Acrobat

has the geometry of a **deformable** slender rod, defined by its length and the area. of its cross-section. The **meshing** of an **object** using long elements reduces ... www.springerlink.com/index/K3G3PUK83C4C77JP.pdf - Similar pages

#### [PDF] LNCS 3037 - Constraint-Based Contact Analysis between Deformable ...

File Format: PDF/Adobe Acrobat

scientific visualization, **deformable object simulation** is becoming a major issue ..... Adaptive re-**meshing** and **simulation** based on the amount of deformation ... www.springerlink.com/index/PBT578P62XTXWJNN.pdf - <u>Similar pages</u>

Long elements method for simulation of deformable objects - Patent ... Long Elements Method (LEM) for real time physically based dynamic simulation of deformable objects. The LEM is based on a new meshing strategy using long ... www.freepatentsonline.com/20030088389.html - 78k - Cached - Similar pages

Static Solution for Real Time Deformable Objects with Fluid Inside
Different meshing strategies can be conceived to fill the objects. ... Multiple meshes can be combined to obtain a full 3D deformable object. ...
www.ercim.org/publication/Ercim\_News/enw44/costa.html - 10k - Cached - Similar pages

Invertible finite elements for robust simulation of large deformation 22 J.-P. Gourret, N. M. Thalmann, D. Thalmann, Simulation of object and ... red green strategy for meshing highly deformable objects with tetrahedra. ... portal.acm.org/citation.cfm?id=1028541 - Similar pages

<u>Squashing Cubes:</u> Automating <u>Deformable Model Construction for Graphics</u> ... and not <u>deformable object simulation</u>. Despite tools for volume (or surface) (re) <u>meshing</u> of geometric models to support physical <u>simulation</u>, in practice, ... graphics.cs.cmu.edu/projects/squashingCubes/ - 5k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Fast Simulation of Deformable Models in Contact Using Dynamic ... File Format: PDF/Adobe Acrobat - View as HTML slice of the tetrahedral meshing. The gear contains 28K sim- ...... With our deformable object repre-. sentation and simulation algorithm, we achieve those ... graphics.ethz.ch/Downloads/Publications/Papers/2006/Gal06/Gal06.pdf - Similar pages

**Deformable Object** Reconstruction with Particle Systems - JAILLET ... 0.7: **Simulation** of **Deformable** Organs with a Hybrid Approach - Amrani, Jaillet, Melkemi. ... 21 Bubble mesh: automated triangular **meshing** of non-manifold ge. ... citeseer.ist.psu.edu/jaillet98**deformable**.html - 22k - <u>Cached</u> - <u>Similar pages</u>

[PS] Deformable Objects Modeling and Animation: Application to Organs ... File Format: Adobe PostScript - View as Text simulation. Adaptive animation:. For very deformable object, the spring system is no more sucient. .... Bubble mesh: automated triangular meshing of non- ... www.emis.de/journals/JGG/4.2/j4h2amr.ps.gz - Similar pages

[PDF] Cutting in deformable objects, survey and problems

File Format: PDF/Adobe Acrobat - View as HTML

Simulating a deformable object may rely on special. volumic representations that are slow

to compute . 

Numerical stability in the simulation process ...

www2.lifl.fr/~marchal/doc/sticasia.pdf - Similar pages

1 <u>2 3 4 5 6 7 8 9 10</u> **Next** 

Download Google Pack: free essential software for your PC

+meshing +deformable +object +sim | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google



Web Images Video News Maps more »

+meshing +deformable +object +simulation

Search

Advanced Scholar Search Scholar Preferences Scholar Help

#### Scholar All articles - Recent articles Results 1 - 10 of about 705 for +meshing +deformable +objec

**All Results** 

**D** James

G Debunne

S Cotin

<u>D Pai</u>

M Desbrun

Adaptive Nonlinear Finite Elements for **Deformable** Body **Simulation** Using Dynamic Progressive Meshes - all 8 versions »

X Wu, MS Downes, T Goktekin, F Tendick - Computer Graphics Forum, 2001 - Blackwell Synergy

... Adap- tive **meshing** is necessary to provide sufficient detail where ... **Deformable Object** Modeling Simulating interaction with **deformable** objects is a ...

Cited by 116 - Related Articles - Web Search - BL Direct

ArtDefo: accurate real time deformable objects - all 18 versions »

DL James, DK Pai - Proceedings of the 26th annual conference on Computer ..., 1999 - portal.acm.org

... a user may, say, poke the **deformable object** with a ... as used for rendering — no separate

meshing is required ... to exploit coherence between deformable is related ...

Cited by 232 - Related Articles - Web Search

A crystalline, red green strategy for **meshing** highly **deformable** objects with tetrahedra - all 3 versions »

N Molino, R Bridson, J Teran, R Fedkiw - 12th Int. **Meshing** Roundtable, 2003 - cs.ubc.ca ... **MESHING** HIGHLY **DEFORMABLE** OBJECTS WITH ... We use a signed distance function defined

on a Cartesian grid in order to represent the  ${f object}$  geometry. ...

Cited by 34 - Related Articles - View as HTML - Web Search

Adaptive refinement for mass/spring simulation - all 5 versions »

D Hutchinson, M Preston, T Hewitt - 7th Eurographics Workshop on Animation and **Simulation**, 1996 - graphics.stanford.edu

... allow us to perform a discontinuity **meshing** (thereby reducing ... Dynamic Animation of **Deformable** Bodies ... W. Straer, and P. Stucki, editors, From **Object** Modelling to ... Cited by 71 - Related Articles - View as HTML - Web Search

<u>Invertible finite elements for robust **simulation** of large deformation - all 7 versions »</u>

G Irving, J Teran, R Fedkiw - Proceedings of the 2004 ACM SIGGRAPH/Eurographics symposium ..., 2004 - portal.acm.org

... We present an algorithm for the finite element **simulation** of elastoplastic solids ... for controlling plastic deformation, which allows a **deformable object** to be ...

Cited by 38 - Related Articles - Web Search

Soft-tissue **simulation** using the Radial Elements Method

R Balaniuk, K Salisbury - IS4TM workshop, June, 2003 - Springer

... to the **simulation** of **deformable** objects: the **meshing** based on long elements and the combination of static and dynamic approaches to simulate the same **object**. ... Cited by 11 - Related Articles - Web Search - BL Direct

A scalable force propagation approach for web-based **deformable simulation** of soft tissues

KS Choi, H Sun, PA Heng, JCY Cheng - 3D technologies for the World Wide Web, 2002 - portal.acm.org

... It has been used in biomechanics [15] and surgical **simulation** [3, 6 ... underlying material constitutive laws are studied by discretizing **deformable object** into a ...

Cited by 12 - Related Articles - Web Search

## <u>Dynamic real-time deformations using space & time adaptive sampling - all 33 versions »</u>

G Debunne, M Desbrun, MP Cani, AH Barr - Proceedings of the 28th annual conference on Computer ..., 2001 - portal.acm.org

... for providing several levels of resolution of an **object**. ... tetrahedral meshes to represent the **deformable** body, since ... Relaxation and/or re-**meshing** processes are ...

Cited by 210 - Related Articles - Web Search

## Haptic interaction with deformable objects using real-time dynamic simulation

N Swarup - 1995 - dspace.mit.edu

... interactive **deformable** media simulator are described. Lastly, a review of literature related to **deformable object simulation** is provided. ...

Cited by 20 - Related Articles - Web Search - Library Search

## <u>LEM-an approach for real time physically based soft tissue **simulation** - <u>all 6</u> versions »</u>

IF Costa, R Balaniuk - Robotics and Automation, 2001. Proceedings 2001 ICRA. IEEE ..., 2001 - ieeexplore.ieee.org

... (c) **meshing**: position, length ... Rigid and different **deformable** materials can be mixed in the same ... Figure 5: Non homogeneous materials: soft **object** with a rigid ...

Cited by 14 - Related Articles - Web Search - BL Direct



Result Page:

1 2 3 4 5 6 7 8 9 10 **N** 

Next

+meshing +deformable +object +sim Search

Google Home - About Google - About Google Scholar

©2007 Google



Images Video News Maps more »

+meshing +deformable +object +simulation +lé

Search

Advanced Scholar Search Scholar Preferences Scholar Help

#### Scholar All articles - Recent articles Results 1 - 10 of about 417 for +meshing +deformable +objec

All Results

Adaptive Nonlinear Finite Elements for **Deformable** Body **Simulation** Using <u>Dynamic Progressive Meshes</u> - all 8 versions »

X Wu

D James

D Pai

M Downes

T Goktekin

X Wu, MS Downes, T Goktekin, F Tendick - Computer Graphics Forum, 2001 - Blackwell Synergy

... Adap- tive meshing is necessary to provide sufficient detail where ... Deformable Object Modeling Simulating interaction with deformable objects is a ...

Cited by 116 - Related Articles - Web Search - BL Direct

Static solution for real time deformable objects with fluid inside - all 5 versions »

IF Costa, R Balaniuk - ERCIM News, 2001 - ercim.org

... Different meshing strategies can be conceived to fill the ... are parallel to the Cartesian axis and cross the object. One mesh defines one deformable face for the ...

Cited by 9 - Related Articles - Cached - Web Search

Soft-tissue simulation using the Radial Elements Method

R Balaniuk, K Salisbury - IS4TM workshop, June, 2003 - Springer

... to the simulation of deformable objects: the meshing based on long elements and the combination of static and dynamic approaches to simulate the same object. ...

Cited by 11 - Related Articles - Web Search - BL Direct

LEM-an approach for real time physically based soft tissue simulation - all 6 versions »

IF Costa, R Balaniuk - Robotics and Automation, 2001. Proceedings 2001 ICRA. IEEE ..., 2001 - ieeexplore.ieee.org

... (c) meshing: position, length ... Rigid and different deformable materials can be mixed in the same ... Figure 5: Non homogeneous materials; soft object with a rigid ...

Cited by 14 - Related Articles - Web Search - BL Direct

An approach to LEM modeling: construction, collision detection anddynamic simulation - all 4 versions »

K Sundarai, C Laugier, IF Costa - ieeexplore.ieee.org

... Construc- tion To simulate a deformable object, we propose a volumic discretisation of the object with a ... Different meshing strategies can be conceived to fill ...

Cited by 10 - Related Articles - Web Search

Invertible finite elements for robust simulation of large deformation - all 7 versions »

G Irving, J Teran, R Fedkiw - Proceedings of the 2004 ACM SIGGRAPH/Eurographics symposium ..., 2004 - portal.acm.org

... Invertible Finite Elements For Robust Simulation of Large ... A deformable object is characterized by a time dependent map ... More importantly, as long as the initial ... Cited by 38 - Related Articles - Web Search

ArtDefo: accurate real time deformable objects - all 18 versions » DL James, DK Pai - Proceedings of the 26th annual conference on Computer ..., 1999 portal.acm.org

... a user may, say, poke the **deformable object** with a ... as used for rendering — no separate

meshing is required ... to exploit coherence between deformable is related ... Cited by 232 - Related Articles - Web Search

# <u>Deformable simulation</u> using force propagation model with finite element optimization - all 3 versions »

KS Choi, H Sun, PA Heng, J Zou - Computers & Graphics, 2004 - appsrv.cse.cuhk.edu.hk ... discretized, thereby enabling easy **meshing** and fast update. ... the nodes that constitute the **deformable object**, and the **simulation** wouldbe impededby the ...

Cited by 9 - Related Articles - View as HTML - Web Search

[PS] Deformable object reconstruction with particle systems - all 5 versions » F Jaillet, B Shariat, D Vandorpe - Computers & Graphics, 1998 - univ-lyon1.fr ... 5 Dynamic simulation of objects deformation ... than a cohesion threshold and then the object can break ... For \very deformable" objects, we may replace the springs ... Cited by 5 - Related Articles - View as HTML - Web Search - BL Direct

## A fast method to simulate virtual **deformable** objects with force feedback - all 5 versions »

K Sundaraj, C Mendoza, C Laugier - Control, Automation, Robotics and Vision, 2002. ICARCV 2002. ..., 2002 - ieeexplore.ieee.org

... Construction : To represent a **deformable** ob- ject, we propose a volumic ... Different **meshing** strategies can he conceived to fill the **object**. ...

Cited by 3 - Related Articles - Web Search

### Gooooooogle >

Result Page: 1 2 3

1 2 3 4 5 6 7 8 9 10 **Next** 

+meshing +deformable +object +sim Search


Google Home - About Google - About Google Scholar


©2007 Google



Login: ⊞ Register

Home E	owse Search My Settings Alerts Help	
Quick Searcl	Title, abstract, keywords Author	e.ç
🕜 search tip	Journal/book title Volume Issue Page	
32 Articles	Found  Edit Search   Save Search    Search Within Results:   long   Go	•
((pub-date > 1	96 and TITLE-ABSTR-KEY(deformable) and TITLE-ABSTR-KEY(object)) and mesh) and long	
= Full-text	vailable = Non-subscribed	
Article Li	Full Abstracts Sort by Date   Sort by Relevance	
<b>←</b> (	Display Selected Articles 😩 E-mail Articles 🚯 Export Citations	
<b>1</b> . []	Rapid prototyping 3D objects from scanned measurement data Image and Vision Computing, Volume 25, Issue 7, 1 July 2007, Pages 1174-1184 Andrew Willis, Jasper Speicher and David B. Cooper SummaryPlus   Full Text + Links   PDF (3161 K)	
2. 🗍	Virtual reality simulation of surgery with haptic feedback based on the boundary element method Computers & Structures, Volume 85, Issues 7-8, April 2007, Pages 331-339 P. Wang, A.A. Becker, I.A. Jones, A.T. Glover, S.D. Benford, C.M. Greenhalgh and M. Vloeberghs SummaryPlus   Full Text + Links   PDF (362 K)	d
3. 🗍	Efficient updates of bounding sphere hierarchies for geometrically deformable models  Journal of Visual Communication and Image Representation, Volume 18, Issue 2, April 2007, Pages 10  108  Jonas Spillmann, Markus Becker and Matthias Teschner  SummaryPlus   Full Text + Links   PDF (582 K)	1-
<b>a</b> 4. 🗀	Numerical modeling of the motion of deformable ellipsoidal objects in slow viscous flows Journal of Structural Geology, Volume 29, Issue 3, March 2007, Pages 435-452 Dazhi Jiang SummaryPlus   Full Text + Links   PDF (897 K)	
<b>5</b> . [	Non-parametric and light-field deformable models  Computer Vision and Image Understanding, Volume 104, Issue 1, October 2006, Pages 16-35  C. Mario Christoudias, Louis-Philippe Morency and Trevor Darrell  SummaryPlus   Full Text + Links   PDF (2848 K)	
6.	Interruptible collision detection for deformable objects Computers & Graphics, Volume 30, Issue 3, June 2006, Pages 432-438 C. Mendoza and C. O'Sullivan SummaryPlus   Full Text + Links   PDF (267 K)	
₹ 7. 🖺	Interactive cutting of deformable objects using force propagation approach and digital design analogy Computers & Graphics, Volume 30, Issue 2, April 2006, Pages 233-243 Kup-Sze Choi SummaryPlus   Full Text + Links   PDF (476 K)	
	Tetrahedral and hexahedral invertible finite elements	





F. Jaillet, B. Shariat and D. Vandorpe SummaryPlus | Full Text + Links | PDF (826 K) Deformable models for laparoscopic surgery simulation **3**1. 🗀 Computer Networks and ISDN Systems, Volume 29, Issue 14, October 1997, Pages 1675-1683 Konstantinos Moutsopoulos and Duncan Gillies Abstract | Abstract + References | PDF (2302 K) Visual surveillance using deformable models of vehicles 32. Robotics and Autonomous Systems, Volume 19, Issues 3-4, March 1997, Pages 315-335 J. M. Ferryman, A. D. Worrall, G. D. Sullivan and K. D. Baker Abstract | Abstract + References | PDF (1358 K) 32 Articles Found Edit Search | Save Search | Save as Search Alert | Search Feed ((pub-date > 1996 and TITLE-ABSTR-KEY(deformable) and TITLE-ABSTR-KEY(object)) and mesh) and long Home **Browse** My Settings Search Alerts Help

About ScienceDirect | Contact Us | Terms & Conditions | Privacy Policy

Copyright © 2007 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.